



Classic

Classic LEDBulb 12W E27 4200K

Product data

General information

Cap-Base	E27 [E27]
EU RoHS compliant	Yes
Nominal Lifetime (Nom)	30000h
Switching Cycle	50000

Light technical

Color Code	842 [CCT of 4200K]
Beam Angle (Nom)	150 °
Luminous Flux (Nom)	1150 lm
Color Designation	Cool Daylight
Correlated Color Temperature (Nom)	4200 K
Luminous Efficacy (rated) (Nom)	95.00 lm/W
Color Consistency	<6
Color Rendering Index (Nom)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %

Operating and electrical

Input Frequency	50 to 60 Hz
Power (Nom)	12 W
Lamp Current (Nom)	65 mA
Wattage Equivalent	120 W
Starting Time (Nom)	0.5 s
Warm Up Time to 60% Light (Nom)	0.5 s

Power	Factor	0.5
(Nom)	Voltage	165-265 V
(Nom)		

Temperature

T-Case Maximum (Nom)	78 °C
----------------------	-------

Controls and dimming

Dimmable	No
----------	----

Mechanical and housing

Bulb Finish	Frosted
Bulb	A60 [A 60mm]
Shape	

Approval and application

Energy Consumption kWh/1000 h	12 kWh
-------------------------------	--------

Product data


Full product code	
Order product name	DE Classic LEDBulb 12W E27 4200K
EAN/UPC - Product	
Order code	
Numerator - Quantity Per Pack	1

Classic

Local code description	Classic LEDBulb 12W E27 4200K
Numerator - Packs per outer box	10
Material Nr. (I2NC)	

Net Weight (Piece)	0.055 kg
--------------------	----------


Dimensional drawing




Classic LEDBulb 12W E27 4200K

Product	D	C
Classic LEDBulb 12W E27 4200K	60 mm	112 mm

Photometric data




120W E27 A60 4200K




120W E27 A60

Classic

Lifetime



Lumen Maintenance Diagram



Life Expectancy Diagram

